

目次

-  P1-31 流行燈飾
-  P32-67 銅燈、水晶燈
-  P68-89 新型大吊燈
-  P90-95 第凡內玻璃燈
-  P96-101 布罩燈系列
-  P102-105 新型LED軌道式、餐吊燈
-  P106-137 新型半吸頂燈
-  P138-233 傳統半吸頂燈系列
-  P234-237 兒童燈系列
-  P238-277 吸頂燈系列
-  P278-299 省電燈系列
-  P300-305 和式燈、宮燈
-  P306-379 造型吸頂燈系列
-  P380-427 餐吊燈、三吊、二吊、單吊燈
-  P428-435 風扇燈系列
-  P436-440 檯燈、落地燈
-  P441-455 投光燈、單燈
-  P456-485 壁燈、單壁燈、雙壁燈
-  P486-509 新型、傳統日光燈系列、輕鋼架
-  P510-543 投光燈、嵌入燈、櫥櫃燈、招牌燈
-  P544-560 路燈、戶外燈、庭園燈

GN

At the entrance to your home, when the front door opens, hall lighting can be used to set the scene and create a wonderful impression by being both inviting and dramatic.



GN J01 (10600)
寬110mm 高65mm
COB LED 18w
3000K/4000K/5700K、鋁材
蜂巢網防眩光



GN J02 (9300)
寬110mm 高60mm
COB LED 18w
3000K/4000K/5700K、鋁材



GN J03 (10900)
寬110mm 高60mm
OSRAM 3030 18珠 22w
3000K/4000K/5700K、鋁材
蜂巢網防眩光



GN J04 (9300)
寬110mm 高55mm
OSRAM LED 18珠 22w
3000K/4000K/5700K、鋁材



GN J05 (8000)
寬110mm 高45mm
OSRAM 3030 12珠 15w
鋁材、玻璃、120°(散光型)



GN J06 (6900)
寬110mm 高50mm
OSRAM 3030 12珠 15w
3000K/4000K/5700K、鋁材
蜂巢網防眩光



GN J07 (5600)
寬110mm 高45mm
OSRAM 3030 12珠 15w
3000K/4000K/5700K、鋁材
光學透鏡



GN J08 (6000)
寬110mm 高40mm
OSRAM 3030 9珠 12w
3000K/4000K/5700K、鋁材
蜂巢網防眩光



GN J09 (4800)
寬110mm 高30mm
OSRAM 3030 7珠 10w
3000K/4000K/5700K、鋁材
蜂巢網防眩光



GN J10 (4400)
寬110mm 高35mm
OSRAM 3030 9珠 12w
3000K/4000K/5700K、鋁材
光學透鏡



GN J11 (3200)
寬110mm 高25mm
OSRAM 3030 7珠 10w
3000K/4000K/5700K、鋁材
光學透鏡



GN J12 (3200)
寬80mm 高150mm
E27 LED 3w
110v-220v、七彩



GN J13 (2100)
寬30mm 高95mm
E27 LED 12w、110v-220v
3000K



GN J14 (2100)
寬38mm 高100mm
E14 C35L 4w
110v-220v



GN J15 (2100)
寬38mm 高75mm
E14 C35 4w、110v-220v
6000K



GN J16 (2100)
寬38mm 高75mm
E14 C35 4w、110v-220v
3000K



GN J17 (2100)
寬30mm 高95mm
E14 LED 12w
110v-220v、3000K



GN J18 (2100)
寬30mm 高95mm
E14 LED 12w
110v-220v、6000K




GN J19 (2100)
寬30mm 高95mm
E14 LED 12w、110v-220v
可切換3000K/4000K/6000K




GN J20 (2100)
寬30mm 高95mm
E27 LED 12w、110v-220v
可切換3000K/4000K/6000K




GN J21 (2700)
寬80mm 高90mm
G-80 珍珠泡 E27 LED 12w
110v-220v、3000K/6000K



GN J22 (4500)
寬26mm 高300mm
T-300長油 E27 LED 4w
110v-220v



GN J23 (1300)
寬10mm 高33mm
G4燈頭 LED 3.5w
110v



GN J24 (1800)
寬16mm 高42mm
G9燈頭 LED 5w
110v-220v

LED軟條燈



GN J25 (6550) (1米)
OSRAM燈珠 12v、1米120珠
1米約14W(裸板)
2.5公分一個裁接點




GN J26 (4650) (1米)
5050燈帶、1米60珠
1米約15W(裸板)
5公分一個裁接點(不防水)、1捲5米



GN J27 (5650) (1米)
5050燈帶、1米60珠
1米約15W(防水膠套)
5公分一個裁接點、1捲5米


GN J28 軟條燈明緯專用驅動器




350w (24000) 50w (10000)
200w (22000) 35w (8000)
100w (12000) 25w (7000)

GN J29 【時價】

長600mm 寬600mm 高15mm
LED 側發光40w、平板燈
AC100v-240v、3000K、6000K
鋁材





GN J31




GN J31 附LED OSRAM 2835燈帶、1米120珠 14w 安定器另計
A 長7.8mm 高9mm (8000)
B 長15mm 高14.3mm (8000)
C 長13.1mm 高8mm (8000)
D 長17.5mm 高12mm (8800)

GN J32



GN J32 附LED OSRAM 2835燈帶、1米120珠 14w 安定器另計
A 長15.7mm 高15.7mm (8800)
B 長20.8mm 高9.7mm (10000)
C 長30mm 高20mm (13300)
D 長24.7mm 高14.3mm (10000)



GN J30

A.軌道(每米) (2800) J.+字接頭 (2000)
黑、白 K. (550)
B.一字接頭 (850) L. (550)
F.L字接頭 (1200) M. (1300)
H.T字接頭 (1500)




GN J33 (3000)
寬60mm 高140mm
ST-64 E27 LED 6w
110v-220v、清玻璃



GN J34 (2600)
寬80mm 高118mm
G-80 E27 LED 4w
110v-220v



GN J35 (2500)
寬60mm 高140mm
ST-64 E27 LED 4w
110v-220v、琥珀色玻璃



GN J36 (2500)
寬60mm 高140mm
ST-64 E27 LED 4w
110v-220v、清玻璃



GN J37 (1200)
寬19mm 高42mm
E12 LED 1.5w



GN J38 (3000)
寬49mm 高61mm
E27 LED 3粒 5w
110v-220v、3000K/6500K



GN J39 (2700)
寬49mm 高49mm
MR16 COB LED 8w
12v、3000K/6500K



GN J40 (2200)
寬45mm 高110mm
E27 LED 4w
110v-220v



GN 70001 (120000)

寬880mm~2000mm 可自行調整角度 高460mm
線長800mm
E27x9 LED 另計
金屬烤漆

GN

Whatever the style of your living or dining room, whether traditional or contemporary, the lighting should be an integral part of the design and should offer discreet solutions, which are fixable enough for every activity.



GN 70002 (75000)

寬880mm~2000mm 可自行調整角度 高460mm
線長800mm
E27x6 LED 另計
金屬烤漆